

First kuiper belt object other than pluto



First kuiper belt object other than pluto



A Search at the edge of the Solar System

Learn how the first Kuiper belt object (other than Pluto) was found in 1992 by David Jewitt and Jane Luu using CCDs and photographic plates. Explore the history, definition and characteristics of the Kuiper ...

[Learn More](#)

Exploring the Kuiper Belt

The existence of the Kuiper Belt was first proposed by Dutch-American astronomer Gerard Kuiper in 1951, although it was not directly observed until the 1990s. The discovery of the first ...



[Learn More](#)



What is The Kuiper Belt and Trans-Neptunian Objects?

Pluto was the first Kuiper Belt Object discovered, but was classed as a planet because other Kuiper Belt Objects had not yet been discovered. Pluto was downgraded when the KBO Eris ...

[Learn More](#)

Kuiper Belt Facts , Kuiper Belt

Objects , What Is Kuiper Belt

The largest Kuiper Belt object is the dwarf planet Pluto, which has a diameter of 2,376 km (1,476 miles). It is followed by another dwarf planet, Eris, which is 2,326 km (or 1,445 miles) in diameter.

[Learn More](#)



Gerard Kuiper and the Trans-Neptunian Comet Belt

Learn how Gerard Kuiper proposed the existence of a region of icy objects beyond Neptune in 1951, and how David Jewitt and Jane Luu discovered the first Kuiper ...

[Learn More](#)

Gerard Kuiper and the Trans-Neptunian Comet Belt , AMNH

After taking several more images of the same part of the sky, there could be no doubt: they had discovered the first Kuiper Belt Object (KBO). It was a small world of ice and dust, perhaps 250 ...

[Learn More](#)



10 Things to Know About the Kuiper Belt

The first spacecraft to enter the Kuiper Belt region was NASA's Pioneer 10 spacecraft, when it crossed into the space beyond Neptune's orbit in 1983.

But that spacecraft didn't visit any of ...

[Learn More](#)



Classical Kuiper belt object

A classical Kuiper belt object, also called a cubewano (/ ?kju:bi:'w?no? / "QB1-o"), [a] is a low-eccentricity Kuiper belt object (KBO) that orbits beyond Neptune and is not controlled by an orbital ...

[Learn More](#)



What is the Kuiper Belt? A guide to the outer Solar System

There are likely to be a few more objects the size of Pluto and there's room for something much larger, but not in the inner regions of the belt where a large body would be easy to ...

[Learn More](#)

A Search at the edge of the Solar System

The spacecraft will study Pluto and its many moons and also continue further into the Kuiper belt. We can look forward to a rapid growth in our knowledge of

the outer solar system in the coming years.

[Learn More](#)



Kuiper Belt Objects (KBOs): The Icy Frontier

It wasn't until 1992 that the first Kuiper Belt Object (other than Pluto) was discovered. Astronomers David Jewitt and Jane Luu found 1992 QB1, a small icy body about 200 km in diameter orbiting beyond ...

[Learn More](#)

Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://www.v4venison.co.za>

